

Drupal™

続編 Drupal でショッピングサイトを作ってみよう

Drupal をやさしく学ぶ勉強会

Drupal Commerce Kickstart

開催日 2015年1月22日(木) 18:30-20:45

目次

I.	はじめに	2
	Drupal 7 のコア	
	Drupal 8 の開発ステータス	
	トピックス	
	デジタルマーケティング資料	
	次回の勉強会	
	Drupal Global Trainings Days 武蔵大学	
	なんでも質問コーナー	
II.	今月のモジュール Rules	5
	Rules モジュールの概要	
III.	ショッピングサイトを作ってみよう!	9
	Drupal Commerce の情報	
IV.	Commerce Kicstart サイトの構成	11
	製品(Product)	
	注文(Orders)	
	コンテンツ	
	Store Settings	
	Site Settings	
	Marketplace	
V.	決済モジュール	25
	American Express の場合	
	PayPal の場合	
VI.	クレジット、謝辞、ライセンス	29
	クレジット	
	謝辞	
	ライセンス	

はじめに

Drupal 7 のコア

1月22日(木)現在、

Recommended releases			
Version	Download	Date	Links
7.34	tar.gz (3.08 MB) zip (3.54 MB)	2014-Nov-19	Notes
6.34	tar.gz (1.06 MB) zip (1.23 MB)	2014-Nov-19	Notes

Other releases			
Version	Download	Date	Links
8.0.0-beta4	tar.gz (9.11 MB) zip (16.29 MB)	2014-Dec-17	Notes

Development releases			
Version	Download	Date	Links
7.x-dev	tar.gz (3.08 MB) zip (3.55 MB)	2014-Dec-02	Notes
6.x-dev	tar.gz (1.06 MB) zip (1.23 MB)	2015-Jan-10	Notes

Drupal 8 の開発ステータス

1月22日現在の Drupal 8 について、 <https://www.drupal.org/drupal-8.0/get-involved>


Help get Drupal 8 released!

[View](#) [Revisions](#)

Here's the current status of Drupal 8 and where best to help out (updated ~weekly). See also [Drupal Core Updates](#) for ongoing status updates.

What is the current status of Drupal 8?

Drupal 8 is currently in beta. We move to release candidates once we reach [zero critical issues](#). The charts below illustrate the recent trend of work on critical issues:



Drupal 8 critical issues per week

トピックス

Windows Azure で簡単にさまざまな Drupal をインストールし運用できる

<https://vmdepot.msopentech.com/List/Index?sort=Featured&search=Drupal>

VM Depot は Azure 上で稼働するオープンソースなどの仮想マシンライブラリーです。世界中の開発者が無料でアップロードできるようです。ここから、簡単に希望の仮想マシンを Azure 上で稼働できます。

VM Depot
Microsoft Open Technologies

Subscribe Sign in and join the community

BROWSE PUBLISH SHARE MY ACCOUNT

Drupal

What
A community managed repository of Linux and FreeBSD virtual machine images for easy deployment to Microsoft Azure.

Why
Discovering and running open source software on Microsoft Azure makes sense, VM Depot makes it easy.

How
Publishers can share Virtual Machine Images for free. Users discover and deploy to Microsoft Azure with a Free Trial.

Drupal 8.0.0.beta4-0-dev (Ubuntu 14.04)

Drupal powered by Bitnami is a pre-configured, ready to run image for running Drupal on Microsoft Azure. Drupal is a content management platform that allows users to easily publish, manage, and organize a wide variety of content on a website. It is used for community web portals, discussion sites, corporate web sites, intranet applications and many other sites. Drupal is easy to extend by plugging in freely available modules. For more information on the Bitnami Drupal visit our website ...

Publisher: Bitnami Platform: ubuntu

Create Virtual Machine Deployment Script Deployment Tutorial

Sort By:

- Featured
- Date Added
- Name
- Platform
- Rating

Category:

- Application Stack
- Language Stack
- Database and NoSQL
- Developer Tools
- Content Management System
- Business and Resource Management
- Social Software
- Data Management and Processing

Drupal 7.34-1 (Ubuntu 14.04)

Drupal powered by Bitnami is a pre-configured, ready to run image for running Drupal on Microsoft Azure. Drupal is a content management platform that allows users to easily publish, manage, and organize a wide variety of content on a website. It is used for community web portals, discussion sites, corporate web sites, intranet applications and many other sites. Drupal is easy to extend by plugging in freely available modules. For more information on the Bitnami Drupal visit our website ...

Publisher: Bitnami Platform: ubuntu

Create Virtual Machine Deployment Script Deployment Tutorial

CiviCRM 4.5.5-0 (Ubuntu 14.04)

Drupal サイトのパフォーマンス

Apache で稼働するキャッシュサーバ varnish

開発元のサイト <https://www.varnish-cache.org/>

説明サイト http://gihyo.jp/admin/serial/01/server_tech/0011

もしくは Apache ではなく nginx(エンジンエックス)Web サーバを使う

Nginx とは <http://ja.wikipedia.org/wiki/Nginx>

概要 <http://www.atmarkit.co.jp/ait/articles/1407/24/news003.html>

オープンソース eCommerce システム (Drupal Commerce との違いは)

OXID eShop の事例 <http://wasoubi.com>

管理画面 <http://www.wasoubi.com/admin/>

ユーザ名 hodota@gennai3.co.jp

デジタルマーケティング資料

日経 MJ キリン、ネットで理想のビール開発 心つかむ意外な詰め物

次回の勉強会

2月24日(火) 18:30 から 久松町区民館 1階 2号室 「アンケート調査でマーケティングサイトを作ってみよう！」(Webform モジュール、Newsletter モジュールの紹介も含まれます)

Webform モジュール <https://www.drupal.org/project/webform>


Newsletter モジュール <https://www.drupal.org/project/newsletter>

Drupal Global Trainings Days 武蔵大学

2月27日(金) 10:00 から 武蔵大学江古田キャンパスにて Global Training Days の1日コースを開催します。5月、8月、11月も同じ場所で予定。講師は、東京大学の浜田さん、程田。

ご自分のPCにAcquia Desktop2をインストールして、Drupalの基礎を1日で学びます。ぜひ、ご参加下さい。無料です。

紹介サイト <https://www.drupal.org/learn-drupal>



We invite you to come Learn Drupal or teach those who want to learn!

Friday November 14/Saturday November 15, 2014

Africa

Intro to Drupal (full day)

Mbarara, Uganda [kyta labs](#), 9 am - 5 pm (Saturday, November 15, 2014)

What is Drupal? (half day)

Kampala, Uganda [Mountbatten Ltd](#), 9 am - 1 pm (Saturday, November 15, 2014)

Dakar, Senegal [CODERS4AFRICA](#), 9 am - 1 pm (Saturday, November 15, 2014)

Saint-Louis, Senegal [Bantanova](#), 9 am - 1 pm (Saturday, November 15, 2014)

Asia Pacific

なんでも質問コーナー

Drupal や CMS、クラウドなど、ご質問をお受けいたします。

今月のモジュール Rules

アクションベースのイベントトリガー管理の Rules モジュールを紹介します。

ダウンロード <https://www.drupal.org/project/rules>

Recommended releases

Version	Download	Date	Links
7.x-2.8	tar.gz (183.45 KB) zip (221.39 KB)	2015-Jan-08	Notes
6.x-1.5	tar.gz (91.22 KB) zip (119.68 KB)	2012-Aug-03	Notes

Other releases

Version	Download	Date	Links
8.x-3.0-unstable3	tar.gz (40.13 KB) zip (97.2 KB)	2014-Aug-21	Notes

Development releases

Version	Download	Date	Links
8.x-3.x-dev	tar.gz (45.36 KB) zip (111.5 KB)	2015-Jan-16	Notes
7.x-2.x-dev	tar.gz (183.52 KB) zip (221.56 KB)	2015-Jan-08	Notes
6.x-1.x-dev	tar.gz (91.24 KB) zip (119.7 KB)	2013-Oct-01	Notes

必須モジュール(Drupal 7) [Entity API - Version 1.0 beta 9](#) or later!

公式な技術情報

- [Rules Documentation Handbook](#)
- Get support and help others at [Stackexchange!](#)
- [Rules Group](#) for users and developers
- [fago's blog](#)

<input checked="" type="checkbox"/>	Rules	7.x-2.8	React on events and conditionally evaluate actions. Entity tokens (有効), Entity API (有効) が必要 Content Access Rules Integrations (無効), OG example (無効), Rules UI (有効), Rules translation (無効), Rules Scheduler (有効) に必要	 権限  設定
<input checked="" type="checkbox"/>	Rules Scheduler	7.x-2.8	Schedule the execution of Rules components using actions. Rules (有効), Entity tokens (有効), Entity API (有効) が必要	 設定
<input checked="" type="checkbox"/>	Rules UI	7.x-2.8	Administrative interface for managing rules. Rules (有効), Entity tokens (有効), Entity API (有効) が必要	

Cmslabo.org/user でサイトにログインして環境を確認してみましょう！

Rules モジュールの概要

Rules モジュールとは！

ウェブサイトで構成された自動化アクションを作成し、実行するモジュールです。電子メールを配信したり、ノードの更新、ユーザにメッセージを表示などなど。 サイトの選択したイベントごとのトリガーで動作します。また、他のツールやモジュールから呼び出さして実行することもできます。Rules の良い点はアクションが実行される前に、自由に条件を評価できることです。

たとえば、

- 1) すべての新規ユーザを選択した権限に設定する
- 2) スпамと判定されたコメントをすべて非公開にする
- 3) 複雑な条件によるエンティティフィールド値を設定する
- 4) 選択したコンテンツのコメントを読むことをユーザーに許可する
- 5) 3週間、ログインしていないユーザにリマインダーの電子メールを配信する
- 6) コンテンツをスケジュールにもとづき公開、非公開、削除する

など。 Rules モジュールを使うことで、Drupal 拡張モジュールと同じような機能を実現できます。

今後は RESTful Web Service モジュールと連携し、他の Drupal サイトとトリガーやアクションを連携することもできるようになります。

※参照 「Drupal 7 The Essentials」 4,245 円 中古あり

Amazon にて

http://www.amazon.co.jp/Drupal-7-Essentials-Johan-Falk/dp/1463659717/ref=sr_1_1?s=english-books&ie=UTF8&qid=1421897505&sr=1-1&keywords=Drupal+7+The+essentials

簡単な Rules の定義

管理画面 -> 環境設定 -> ワークフロー Rules Active rules Add new rule1 をクリック

Active rules

名前	EVENT
There are no active rules. Add new rule.	

ユーザーがログインしたら

React on event *

User has logged in

Whenever the event occurs, rule evaluation is triggered.

アクションを追加

アクション

ELEMENTS
なし
+ Add action + Add loop

Send mail を選択し

メール送信先のアドレスを設定

宛先

The e-mail address or addresses where

Value *

メールの件名を記載

件名

The mail's subject.

Value *

Rulesでログイン後にメール送信

メッセージ本文を記載します。

メッセージ

The mail's message body.

Value *

ログインしたのでメールをRulesから送信しました。

その他は、とりあえずそのまま、保存します。

条件の追加 Add condition をクリック

Conditions

ELEMENTS

なし


+ Add condition + Add or + Add and

ユーザの役割を選択 User has roles

ユーザの役割を選択

役割

Value *



A screenshot of a web form's dropdown menu. The menu is titled "Value *" and contains three options: "匿名ユーザー" (Anonymous user), "認証済みユーザー" (Authenticated user), and "administrator". The "administrator" option is currently selected and highlighted in blue.

Switch to data selection

保存します。実行テストとして、Administrator 権限のユーザ、たとえば、 user2 とかでログインするとメールが配信されます。

練習問題

Blog ページを公開したら、メールを送信します。

Rules は大変高機能なので、自分で勉強しながらマスターしましょう！

ショッピングサイトを作ってみよう！

Drupal 7 でショッピングサイトを作る場合のサンプルとして、Drupal のスタック Acquia Dev Desktop 2 でインストールして、学ぶこともできます。実際のデモ用インターネットサイトは以下の URL になります。


デモサイト： <http://skytouch.jp>

ログイン： <http://skytouch.jp/user>

Acquia Dev Desktop 2 のインストール手順は以下の URL から PDF 版をダウンロードして下さい。


http://www.cmslabo.org/sites/default/files/doc/workshop/2014/drupal_workshop_2014_0828_acquia_dev_desktop_beta2.pdf

Acquia Dev Desktop 2 インストール後、Web サイト追加で Commerce Kickstart を選択します。



Drupal Commerce の情報

Drupal Commerce の情報 <https://drupalcommerce.org/>



Commerce Kicstart サイトの構成

製品(Product)

Filter by

[+ Add product](#)

<input type="checkbox"/>	タイトル	操作
<input type="checkbox"/>	Surface Pro3 TYPE-A_NoIncludeTAX	Quick Edit

タイトル *

Product variations *

[行のウェイトを表示する](#)

Image	Variation title	SKU	Price	状態	Stock	操作
	Surface Pro3 TYPE-A_NoIncludeTAX	COMP-MS-TABLET- SF-PRO3-120100A	¥120,000	アク ティ ブ	9.00	編集 削除
	Surface Pro3 TYPE-A_NoIncludeTAX	COMP-MS-TABLET- SF-PRO3-120100B	¥1,450,000	アク ティ ブ	20.00	編集 削除

[Add new variation](#)

メニューの設定
メニューには表示されていません。 [メニューリンクを生成](#)

リビジョン情報
リビジョンなし

URLエイリアスの設定
Automatic alias

コメントの設定
クローズド

投稿の情報
日付 2014-12-18 11:10:22 +0900 投稿者 office

掲載オプション
掲載, フロントページへ掲載

詳細設定

	Surface Pro3 TYPE-A_NoincludeTAX	COMP-MS-TABLET- SF-PRO3-120100B	¥1,450,000	アク ティ ブ	20.00
---	-------------------------------------	------------------------------------	------------	---------------	-------

詳細

SKU *

Supply a unique identifier using letters, numbers, hyphens, and underscores. Commas may not be used.

Price * JPY **Include tax in this price**

Saving prices tax inclusive will bypass later calculations for the specified tax.

状態 * アクティブ 無効

Image [行のウェイトを表示する](#)

ファイル情報	操作
  jp-MSJP-L-Surface-512GB-PU2-00015-mnco.jpg (64.24 KB) 代替文字列 <input type="text" value="サンプル写真 MS Surface Pro 3 typ2"/> <small>このテキストは、音声読み上げソフト・検索エンジン・画像がロードできない際、などに利用されます。</small> タイトル <input type="text" value="サンプル写真 MS Surface Pro 3 type2"/> <small>このタイトルは画像の上にマウスを置いた時、ツールチップに表示されます。</small>	削除

ファイルを追加

ファイルが選択されていません。

ファイルは 8 MB 以下のサイズでなければなりません。
 利用可能な拡張子: [png](#) [gif](#) [jpg](#) [jpeg](#)

Stock *

Disable stock for this product

製品の追加

アクション ✕

ホーム ▶ 管理 ▶ Products ▶ アクション ▶ Add a product

- ▶ [Bags & Cases](#)
A *Bags & Cases* is a content type which contain product variations.
- ▶ [Computers](#)
- ▶ [Drinks](#)
A *Drinks* is a content type which contain product variations.
- ▶ [Hats](#)
A *Hats* is a content type which contain product variations.
- ▶ [Shoes](#)
A *Shoes* is a content type which contain product variations.
- ▶ [Storage Devices](#)
A *Storage Devices* is a content type which contain product variations.
- ▶ [Tops](#)
A *Tops* is a content type which contain product variations.

製品のバリエーション タイプ

Variation types

ホーム ▶ 管理 ▶ Store settings ▶ Product settings ▶ Variation types

[+ Add product variation type](#)

Each product display must have one or more product variations, which is why each [product display type](#) has a matching product variation type.

Different product variation types have different fields, used for storing images, attributes such as color and size, as well as any other information.

名前	操作
Bags & Cases (システム内部名称: bags_cases)	編集 フィールドの管理 表示管理 削除
Computers (システム内部名称: computers)	編集 フィールドの管理 表示管理 削除
Drinks (システム内部名称: drinks)	編集 フィールドの管理 表示管理 削除
Hats (システム内部名称: hats)	編集 フィールドの管理 表示管理 削除
Shoes (システム内部名称: shoes)	編集 フィールドの管理 表示管理 削除
Storage Devices (システム内部名称: storage_devices)	編集 フィールドの管理 表示管理 削除
Tops (システム内部名称: tops)	編集 フィールドの管理 表示管理 削除

製品のカテゴリ

[+ Add categories](#)

[行のウェイトを表示する](#)

ボキャブラリーの名称	操作
+ Bag size	ボキャブラリーの編集 タームのリスト タームの追加
+ Blog category	ボキャブラリーの編集 タームのリスト タームの追加
+ Brand	ボキャブラリーの編集 タームのリスト タームの追加
+ Category	ボキャブラリーの編集 タームのリスト タームの追加
+ Collection	ボキャブラリーの編集 タームのリスト タームの追加
+ Color	ボキャブラリーの編集 タームのリスト タームの追加
+ Gender	ボキャブラリーの編集 タームのリスト タームの追加
+ Hat size	ボキャブラリーの編集 タームのリスト タームの追加

バックのサイズ カテゴリー

Bag size ✕

ホーム ▶ 管理 ▶ Site settings ▶ 高度な設定 ▶ サイト構築 ▶ タクソノミー ▶ Bag size ▶ 編集

リスト 編集 フィールドの管理 表示管理

名前 *
 システム内部名称: bag_size [\[編集\]](#)

説明

▼ Taxonomy menu

Menu location

The menu and parent under which to insert taxonomy menu items.

Menu path type

The path will be taxonomy/term/tid if *Default* has been selected.
 The menu path will be passed through drupal_get_path_alias() function so all aliases will be applied.

▼ オプション

Synchronise changes to this vocabulary
Every time a term is added/deleted/modified, the corresponding menu link will be altered too.

Display number of items
Display the number of items per taxonomy terms. Will not show up for vocabulary menu items.

Hide empty terms

注文(Orders)

Filter by ▼

Start date
E.g., 12/18/2014

End date
E.g., 12/18/2014

+ Add an order Search by username, email, order ID 🔍

<input type="checkbox"/>	ID	作成	Name/Email	Total	状態	操作
<input type="checkbox"/>	4	12/18/2014 - 10:57	Anonymous (未認証ユーザー)	¥122,003	Shopping cart	Quick Edit ▼
<input type="checkbox"/>	1	11/05/2014 - 15:17	Sample Customer customer@example.com	¥24	Shopping cart	Quick Edit ▼
<input type="checkbox"/>	2	11/05/2014 - 15:17	Sample Customer customer@example.com	¥124	Pending	Quick Edit ▼
<input type="checkbox"/>	3	11/05/2014 - 15:17	Sample Customer customer@example.com	¥88	Pending	Quick Edit ▼

↑ Bulk operations

注文履歴

[+ Apply pricing rules](#)
[+ Simulate checkout completion](#)

LINE ITEMS

削除	タイトル	SKU	Unit price
<input type="checkbox"/>	Surface Pro3 type1	PC-TAB-MS-SF3-100	98000 JPY
<input type="checkbox"/>	Free shipping: 5 - 8 business days	Free shipping: 5 - 8 business days	0.00 USD <small>The currency set for this price is not currently enabled. If you change it now, you will not be able to edit this price.</small>

[Fixed amount discount](#)
[Add line item](#)

Shipping information

Full name

Country

Address 1

Address 2

Postal code
City
State

Clear this profile

支払履歴

Order 9

[ホーム](#) > [管理](#) > [Orders](#) > [アクション](#) > [Manage orders](#) > [Order 9](#) > [Payment](#)

[ビュー](#)
[編集](#)
[Payment](#)
[履歴](#)
[リビジョン](#)

[Example payment](#)
[Add payment](#)

Order balance ¥98,000

Order 9

[ホーム](#) > [管理](#) > [Orders](#) > [アクション](#) > [Manage orders](#) > [Order 9](#) > [履歴](#)

[ビュー](#)
[編集](#)
[Payment](#)
[履歴](#)
[リビジョン](#)

タイプ	日付	ユーザー	説明
Order	01/22/2015 - 00:38	程田和義	Status has been set to Checkout: Payment (previously: Checkout: Review).
Order	01/22/2015 - 00:38	程田和義	Status has been set to Checkout: Review (previously: Checkout: Shipping).
Order	01/22/2015 - 00:38	程田和義	Status has been set to Checkout: Shipping (previously: Checkout: Checkout).
Order	01/22/2015 - 00:38	程田和義	Status has been set to Checkout: Checkout (previously: Shopping cart).
Cart	01/22/2015 - 00:38	程田和義	Product PC-TAB-MS-SF3-100 added to the cart.
Order	01/22/2015 - 00:38	程田和義	Order has been created.

コンテンツ

名前	Product display	操作			
Ad Push (システム内部名称: ad_push) Use <i>ad push</i> to promote content on the homepage.	いいえ	編集	フィールドの管理	表示の管理	
Bags & Cases (システム内部名称: bags_cases) A <i>Bags & Cases</i> is a content type which contain product variations.	はい	編集	フィールドの管理	表示の管理	
Basic page (システム内部名称: page) Use <i>basic pages</i> for your static content, such as an 'About us' page.	いいえ	編集	フィールドの管理	表示の管理	削除
Blog Post (システム内部名称: blog_post) Use <i>blog post</i> to write regular content.	いいえ	編集	フィールドの管理	表示の管理	
Computers (システム内部名称: computers)	はい	編集	フィールドの管理	表示の管理	削除
Drinks (システム内部名称: drinks) A <i>Drinks</i> is a content type which contain product variations.	はい	編集	フィールドの管理	表示の管理	
Hats (システム内部名称: hats) A <i>Hats</i> is a content type which contain product variations.	はい	編集	フィールドの管理	表示の管理	

Computer のコンテンツタイプ フィールド管理

Computers

ホーム ▶ 管理 ▶ コンテンツ ▶ 環境設定 ▶ コンテンツタイプ ▶ Computers ▶ フィールドの管理

編集
フィールドの管理
表示管理
コメントフィールド
コメント表示

行のウェイトを表示する

ラベル	システム内部名称	フィールドタイプ	ウィジェット	操作
+ タイトル	title_field	テキスト	テキストフィールド	編集 削除
+ URLEイリアスの設定	path	Path module form elements		
+ Product variations	field_product	Product reference	Inline entity form - Multiple values	編集 削除
+ フィールドを追加	<input type="text"/>	- フィールドタイプを選択 - 保存データ形式。	- ウィジェットを選択 - データ編集用フォーム要素。	
ラベル				
+ 既存のフィールドを追加	<input type="text"/>	- 存在するフィールドから選択 - 共用するフィールド	- ウィジェットを選択 - データ編集用フォーム要素。	
ラベル				

Store Settings

バリエーション タイプ

Variation types

ホーム ▶ 管理 ▶ Store settings ▶ Product settings ▶ Variation types

[+ Add product variation type](#)

Each product display must have one or more product variations, which is why each [product display type](#) has a matching product variation type.

Different product variation types have different fields, used for storing images, attributes such as color and size, as well as any other information.

名前	操作
Bags & Cases (システム内部名称: bags_cases)	編集 フィールドの管理 表示管理 削除
Computers (システム内部名称: computers)	編集 フィールドの管理 表示管理 削除
Drinks (システム内部名称: drinks)	編集 フィールドの管理 表示管理 削除

Computer のバリエーション 設定

Computers

ホーム ▶ 管理 ▶ Store settings ▶ Product settings ▶ Variation types ▶ Computers

[編集](#) [フィールドの管理](#) [表示管理](#)

名前 *

The human-readable name of this product variation type. It is recommended that this name begin with a capital letter and contain only letters, numbers, and spaces. This name must be unique.

Default product variations of this type to be saved as new revisions when edited.

Automatically Generate SKU

Allow decimal quantities for stock administration

Check this box if you want to allow the users to set decimal stock levels on product edit forms.

顧客情報

+ Add a customer profile

Filter by names containing

Apply

リセット

Profile ID ▲	名前	ユーザー	タイプ	状態	操作
1	Sample Customer	Sample Customer	Billing information	アクティブ	編集 削除
2	Sample Customer	Sample Customer	Shipping information	アクティブ	編集 削除
3	Sample Customer	Sample Customer	Shipping information	アクティブ	編集 削除
4	程田和義	程田和義	Shipping information	アクティブ	編集 削除
5	程田和義	程田和義	Billing information	アクティブ	編集 削除

Address

Full name *

程田和義

Country *

Japan

Address 1 *

川崎区渡田新町

Address 2

1-4-9-201

Postal code *

2100844

City *

川崎市

State *

神奈川県

User information

Owned by hodota-facilitator

状態

アクティブ

Owned by

hodota-facilitator

投稿者の名前を入力してください。空欄にすると *Anonymous* の投稿として扱われます。

配送 (Shipping)

Express Shipping

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Shipping ▶ Express Shipping ▶ 編集

タイトル *

Express Shipping Machine name: express_shipping

The administrative title of this flat rate. It is recommended that this title begin with a capital letter and contain only letters, numbers, and spaces.

Display title

Express shipping: 1 business day

The front end display title of this flat rate shown to customers. Leave blank to default to the *Title* from above.

説明

An express shipping service with additional fee.

Describe this flat rate if necessary. The text will be displayed in the flat rate services overview table.

Base rate *

15 USD

The currency set for this rate is not currently enabled. If you change it now, you will not be able to set it back.

-なし-

Saving a rate tax inclusive will bypass later calculations for the specified tax.

Include
tax in
this rate

Save flat rate

キャンセル

Delete flat rate

プロモーション

Add order discount commerce discount

ホーム ▶ 管理 ▶ Store settings ▶ Promotions ▶ Discounts

リスト 環境設定

Admin title *

Shown only on management screens, not shown to customers.

Discount status

アクティブ

名前

Shown to customers.

Choose discount type

Order discount Product discount

Order discount conditions

Apply to: Negate

Choose offer type

\$ off % off Free shipping Free products

Fixed amount *

JPY

Discount dates

End date

割引タイプ

Discounts

ホーム ▶ 管理 ▶ Store settings ▶ Promotions ▶ Discounts ▶ 環境設定

Line item types to use for discounts

Product discounted

Product

Shipping

Select the line item types that will be taken into account for calculating the discount amounts in p

Administer promotions.

Tax の設定

タイトル *

VAT Machine name: vat

The administrative title of this tax type. It is recommended that this title begin with a capital letter and contain on

Display title

VAT

The front end display title of this tax type shown to customers. Leave blank to default to the *Title* from above.

説明

A basic type for taxes that display inclusive with product prices.

Describe this tax type if necessary. The text will be displayed in the tax type overview table.

Display taxes of this type inclusive in product prices.

Tax amount rounding mode

- Do not round at all
- Round the half up
- Round the half down
- Round the half to the nearest even number
- Round the half to the nearest odd number

Specify what type of rounding should occur when tax rates of this type are calculated for the unit price of a line item. For example, you can round these amounts at the unit price level, while VAT style taxes will generally round the half up.

Save tax type

キャンセル

支払方法

Editing action "Enable payment method: PayPal WPS"

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Payment methods ▶ Editing reaction rule "PayPal WPS" ▶ Editing action "Enable payment method: PayPal WPS"

Order

Data selector *

commerce-order

The data selector helps you drill down into the data available to Rules. To make entity fields appear in the data selector, you may have to use the condition 'entity has field' (or 'content is of type'). More useful tips about data selection is available in the [online documentation](#).

Data types: Select data of the type *Commerce Order*.

▶ Data selectors

Switch to the direct input mode

Payment settings

PayPal e-mail address *

hodota-buyer@gennai3.co.jp

The primary e-mail address of the PayPal account you want to use to receive payments.

Default currency

JPY

Transactions in other currencies will be converted to this currency, so multi-currency sites must be configured to use appropriate conversion rates.

Allow transactions to use any currency in the options list above.
Transactions in unsupported currencies will still be converted into the default currency.

PayPal login page language / locale

Japanese (for Japan only)

チェックアウトプロセスの設定

Checkout settings

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Checkout settings

Checkout form Checkout rules

Use the table below to build your checkout form using the available checkout panes and pages defined by modules enabled on your site. You may configure the checkout pane settings using the operations links below.

[行のウェイトを表示する](#)

Checkout pane	操作
Checkout	
+ Shopping cart contents	設定
+ Account information	設定
+ check if all items are in stock at checkout	設定
+ Shipping information	設定
+ Billing information	設定
Shipping	
+ Shipping service	設定

ラインアイテムタイプ

Line item types

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Line item types

Line items represent anything on an order that affects the order total. Each line item must be of one of the line item types listed below, which define how these items interact with Add to Cart forms, the shopping cart, the order edit page, and more. Line item types are defined by modules, with some modules also allowing you to clone line item types through this interface.

名前	操作
Fixed amount discount (システム内部名称: commerce_discount) Line item for fixed amounts.	フィールドの管理 表示管理
Product discounted (システム内部名称: product_discount) References a discounted product.	フィールドの管理 表示管理
Product (システム内部名称: product) References a product and displays it with the SKU as the label.	フィールドの管理 表示管理
Shipping (システム内部名称: shipping) References a shipping method and displays the rate with the selected service title.	フィールドの管理 表示管理

注文設定

Order settings

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Order settings

環境設定 フィールドの管理 表示管理

Order creation help text

Supply an optional help message to be displayed above the order add form.

- Create new revisions when orders are updated by default.
This default may be overridden on the order edit form but will always be respected for other order status updates.
- Enable the local action link on order edit forms to apply pricing rules.
Even if enabled the link will not appear on shopping cart order edit forms.
- Enable the local action link on order edit forms to simulate checkout completion.

Shopping cart refresh

Shopping cart orders comprise orders in shopping cart and some checkout related order statuses. These settings let you control the shopping cart orders are refreshed, the process during which product prices are recalculated, to improve site performance in the case of excessive refreshes on sites with less dynamic pricing needs.

Shopping cart refresh mode

- Refresh a shopping cart when it is loaded regardless of who it belongs to.
- Only refresh a shopping cart when it is loaded if it belongs to the current user.
- Only refresh a shopping cart when it is loaded if it is the current user's active shopping cart.

Shopping cart refresh frequency *

seconds

Shopping carts will only be refreshed if more than the specified number of seconds have passed since they were last refreshed.

- Always refresh shopping cart orders on shopping cart and checkout form pages regardless of other settings.
Note: this option only applies to the core /cart and /checkout/* paths.

価格設定

Pricing rules

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Pricing rules

リスト Pre-calculation

Prior to purchase, product sell prices are calculated using the rule configurations listed below. Pricing rules can be used for things like discounts, price lists, currency conversions, and tax application depending on the Rules elements defined by your enabled modules. To apply the enabled pricing rules on product display, you must ensure the display formatter settings for your product price fields are configured to display the *Calculated sell price for the current user*.

[+ Add a pricing rule](#)

Enabled sell price calculation rules

名前	Event	状態	操作			
Unset the price of disabled products in the cart システム内部名称: commerce_cart_unset_disabled_products, ウェイト: 10 タグ: Commerce Cart	Calculating the sell price of a product	デフォルト	編集	無効	clone	export
Calculate taxes: Sales tax システム内部名称: commerce_tax_type_sales_tax, ウェイト: 0 タグ: Commerce Tax	Calculating the sell price of a product	デフォルト	編集	無効	clone	export
Calculate taxes: VAT システム内部名称: commerce_tax_type_vat, ウェイト: 0 タグ: Commerce Tax	Calculating the sell price of a product	デフォルト	編集	無効	clone	export

チェックアウト後の移行ページ

Checkout Redirect

ホーム ▶ 管理 ▶ Store settings ▶ Checkout Redirect

Checkout redirect path

Set the checkout redirect path for an anonymous user. Leave blank to use the default 'user/login' page. If you re you add user login block on that page.

Checkout redirect login message

The message that should be displayed for the login page in the checkout process.

Continue without register

Allow anonymous checkout.

在庫管理

Stock management

ホーム ▶ 管理 ▶ Store settings ▶ Stock management ▶ Simple Stock management

Stock management API

Simple Stock management

Stock validation

Stock control

Enable stock management for these product types

Note that disabling stock management removes the Stock field from the product type, deleting any existing stock data for that product type.

- Bags & Cases (bags_cases)
- Computers (computers)
- Drinks (drinks)
- Hats (hats)
- Shoes (shoes)
- Storage Devices (storage_devices)
- Tops (tops)

Enable stock management override for these product types

Note that disabling stock management override removes the Stock override field from the product type, deleting any existing stock override data for that product type.

- Allow stock override for Computers (computers)

在庫管理の計算、ルール

Stock management ✕

ホーム ▶ 管理 ▶ Store settings ▶ Stock management ▶ Stock validation

Stock management API
Simple Stock management
Stock validation
Stock control

+ Add a Cart state rule
+ Add a Cart action rule
+ Add a Validate cart / checkout rule

Stock validation

Manage stock validation rules. Those are rules that manage availability of products to your online shoppers.

Enabled Stock events

Cart state

名前	Event	状態	操作			
Stock: disable add to cart <small>システム内部名称: rules_stock_disable_add_to_cart, ウェイト: 0</small>	Check if a product add to cart form should be enabled (is in stock)	デフォルト	編集	無効	clone	export
computer1_stock <small>システム内部名称: rules_computer1_stock, ウェイト: 0</small>	Check if a product add to cart form should be enabled (is in stock)	カスタム	編集	無効	clone	削除 export

Add to cart action

Site Settings

- [Visual & Layout](#)


Administer the appearance and layout of your store.

- [高度な設定](#)

Administer the site configuration.

Marketplace

各種モジュールなど



決済モジュール

Kickstart パッケージには標準で American Express と Paypal モジュールが入っています。

Commerce Paypal モジュール https://www.drupal.org/project/commerce_paypal

Downloads

Recommended releases

Version	Download	Date	Links
7.x-2.3	tar.gz (67.83 KB) zip (83.97 KB)	2014-Jan-14	Notes

Development releases

Version	Download	Date	Links
7.x-2.x-dev	tar.gz (67.85 KB) zip (84 KB)	2014-Jan-14	Notes

概要 (英文)

https://marketplace.commerceguys.com/extensions/paypal/overview?utm_source=commerce_kickstart&utm_medium=dfp&utm_campaign=Paypal

DRUPAL COMMERCE EXTENSIONS DOCUMENTATION GET HELP COMMUNITY SHOWCASE

PayPal

Everything you need to accept payments online

[Download](#)

[Overview](#) [Installation](#) [Videos](#) [Knowledge Base](#)

PayPal is the faster, safer way to pay and get paid online, via mobile devices and in stores. With more than 123 million active accounts in 190 markets and 25 currencies around the world, PayPal enables global commerce.

Gateway Solutions	All-in-One Payment Solutions	Alternate Methods of Payment
<p>Join forces with your bank</p> <p>Use a merchant account from your financial institution to accept online payments.</p>  <p>Payflow Link</p> <p>Connect your existing merchant account to the Internet with Payflow Link. This gateway lets you accept credit cards, PayPal, and Bill Me Later with a PCI-compliant, embedded checkout. Customers paying by credit never leave your website, and it's PCI compliant to help you manage your credit card security requirements. Plus, you can tap into more than 123 million active PayPal accounts who look for PayPal's accept protections and trusted way to pay.</p>	<p>Everything you need</p> <p>Get a merchant account and a payment gateway for a quick, easy way to accept all types of payment.</p>  <p>PayPal Payments Advanced</p> <p>Accept credit cards, PayPal payments, and Bill Me Later with PayPal Payments Advanced. This all-in-one payment solution offers an embedded checkout that keeps customers on your site throughout the payment process and an Internet merchant account from PayPal. It's PCI-compliant to help you manage your credit card security requirements.</p>	<p>Boost your sales</p> <p>One hopes another way to pay by adding an alternative payment method</p>  <p>Express Checkout</p> <p>If you already accept credit cards online, you can decrease shopping cart abandonment and boost sales by adding the PayPal Express Checkout button to your site. It complements your existing payment solution and can open the door to over 123 million active PayPal accounts* who look for and use this fast, easy, and secure way to pay.</p>

Multiple solutions

If you already have a merchant account from your financial institution, PayPal connects it with a gateway solution to receive payments online. If you don't, PayPal's all-in-one payment solutions let you accept credit cards, PayPal payments, and Bill



[Download](#) 2.3

LINKS

- [View drupal.org project page](#)

CATEGORIES

- Payment
- CG maintained
- CG pick

[In Kickstart](#)

COMMERCE GUYS MAINTAINERS

American Express の場合

Editing reaction rule "American Express"

ホーム ▶ 管理 ▶ Store settings ▶ Advanced store settings ▶ Payment methods ▶ Editing reaction rule "American Express"

Events

Event	Operations
Select available payment methods for an order	削除
+ Add event	

Conditions

Elements	ウェイト	操作
なし		
+ Add condition + Add or + Add and		

アクション [行のウェイトを表示する](#)

Elements	操作
+ Enable payment method: American Express Parameter: Order:[commerce-order]	編集 削除
+ Add action + Add loop	

▶ 環境設定

[変更を保存](#)

アクションの「編集」をクリック

Payment settings

Merchant ID *

Your Merchant ID.

パスワード *

Your Transaction Password.

Default credit card transaction type

Payment in Full

Authorisation only (requires manual or automated capture after checkout)

Verify (US Only) no funds are collected any amount is only used for risk assesment.

The default will be used to process transactions during checkout.

Carry out 3D Secure security check

Do not perform 3D-Secure checks for this transaction only and always authorise.

If card is enroled attempt authentication (allow if remote server errors)

If card is enroled require authentication

Require card to be enroled and attempt authentication (allow if remote server errors)

Require card to be enroled and require authentication

Transaction mode

Live transactions

Test transactions

Adjust to live transactions when you are ready to start processing real payments.

Transaction URL *

Enter the transaction URL e.g. <https://gateway-emea.americanexpress.com>

To enable Card on File functionality download and install the Card on File module.

PayPal の場合

Events

Event	Operations
Select available payment methods for an order	削除
+ Add event	

Conditions

Elements	ウェイト	操作
なし		
+ Add condition + Add or + Add and		

アクション

行のウェイトを表示する

Elements	操作
+ Enable payment method: PayPal Payments Advanced Parameter: <i>Order</i> : [commerce-order]	編集 削除
+ Add action + Add loop	

▶ 環境設定

アクションの「編集」をクリック

Payment settings

Accept payment securely on your site via credit card, debit card, or PayPal using PayPal as your payment processor. This payment method requires a PayPal Payflow account. [Sign up here](#) and edit this rule to start accepting payments. Your PayPal Manager login information should be used to configure these first four textfields.

Important: Refer to the [module documentation](#) to ensure your PayPal Manager service settings are configured properly.

Partner *

PayPal

Either PayPal or the name of the reseller who registered your PayPal Payments Advanced account.

Merchant login *

The merchant login ID you chose when you created your PayPal Payments Advanced account.

ユーザー *

The name of the user on the account you want to use to process transactions or the merchant login if you have not created users.

パスワード *

The password created for the user specified in the previous textfield.

Processing mode

- Test - process test transactions to an account in test mode
- Live - process real transactions to a live account

Either mode requires a PayPal Payments Advanced account with Hosted Checkout Pages. "Enable Secure Token" must be set to "Yes" in the PayPal Manager service settings.

Default transaction type

- Sale - authorize and capture the funds at the time the payment is processed
- Authorization - reserve funds on the card to be captured later through your PayPal account

Default currency

JPY

Transactions in other currencies will be converted to this currency, so multi-currency sites must be configured to use appropriate conversion rates.

Note: valid currencies will differ depending on your country and processor. Check before selecting a different currency.

- Allow Express Checkout transactions to use any currency in the options list above.

Transactions in unsupported currencies will still be converted into the default currency.
In most cases, a single currency balance is the only option, so this should be tested thoroughly before being enabled on a live site.

クレジット、謝辞、ライセンス

クレジット

このマニュアル作者は、Gennai3 株式会社の程田和義です。

お問い合わせ 電子メール hodota@gennai3.co.jp 電話 044-220-1588

謝辞

本マニュアル作成は、Commerce guys 社のサイトおよび Drupal.org サイトを参考にしました。心より感謝いたします。

出典： <https://commerceguys.com/> Drupal.org

ライセンス

Drupal は Dries Buytaert による登録商標です。その他本マニュアルで使われている製品および名称については、それぞれの所有者の商標または登録商標です。